



Product List

Issue 4

Leading the Way




HAPAS
Proscreen 12/H195
HAPAS
Rocbinda 12/H196



www.joblingpurser.com

www.rocbinda.com | www.quicksetts.com



www.joblingpurser.com

Product List

Contents	Page
01. Bitumen Emulsions	2
02. Jointing Compounds	7
Hot Jointing.....	7
Cold Jointing.....	9
Coloured Jointing.....	10
Bridge Jointing.....	10
03. Road Stud Adhesive	11
04. Surface Repairs	13
05. Surface Treatments	16
High Friction Surfacing.....	16
Decorative Surfacing.....	18
06. Coated Stone	22
07. Protective Coatings	25
08. Industrial and Packed Bitumen's	29
09. Primers	30
10. Miscellaneous	31
11. Consumables	32
12. Other Services	34



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196



www.joblingpurser.com

www.rocbinda.com | www.quicksetts.com



01. Bitumen Emulsions

At Jobling Purser we have been manufacturing bitumen emulsions since the 1920's. Our product range today is extensive and covers all areas of highway maintenance. We manufacture a wide range of British Standard emulsions for use in Tack and Bond Coating, Velocity Patching, Surface Dressing and Slurry Seals. More recently we have added bitumen emulsions which act as Asphalt Preservatives. We also manufacture a range of synthetic based emulsions for use with coloured asphalts and slurry surfacing.

Sprayco K1-40



Tackcoat
Conforms to BSEN 13808:2013

20kg Bags

25kg Kegs

200kg Drums

1,000kg IBC

Bulk Tanker

Sprayco K1-60



Cold applied surface dressing binder
Conforms to BSEN 13808:2013


20kg Bags

25kg Kegs

200kg Drums

1,000kg IBC

Bulk Tanker



www.joblingpurser.com

Probond 50

Polymer modified bond coat
Conforms to BSEN 13808:2013

CE 0120

200kg Drums
1,000kg IBC
Bulk Tanker



Microcolour Emulsion

Pigmentable slurry sealing binder

25kg Kegs
200kg Drums
1,000kg IBC





Sprayco K3-60



Slurry sealing binder
Conforms to BSEN 13808:2013

20kg Bags

25kg Kegs

200kg Drums



Sprayco Retardant

Used to delay the breaking time of bitumen emulsions

25 litre Kegs

Sprayco Jetspray Emulsion



Bitumen emulsion for use with Velocity
Patching machines
Conforms to BSEN 13808:2013

200kg Drums

1,000kg IBC

Bulk Tanker

Sprayco Jetspray Plus Emulsion




Polymer modified bitumen emulsion for use
with Velocity Patching machines
Conforms to BSEN 13808:2013

200kg Drum

1,000kg IBC

Bulk Tanker





www.joblingpurser.com

Sprayco K1-70



Hot applied surface dressing binder
Conforms to BSEN 13808:2013

200kg Drums

Bulk Tanker

Sprayco Plus



Hot applied intermediate grade polymer
modified surface dressing binder
Conforms to BSEN 13808:2013

Bulk Tanker

Sprayco 75



Cold applied, modified surface dressing binder
Conforms to BSEN 13808:2013

20kg Pails

200kg Drums



5



HAPAS
Proscreed 12/H195
HAPAS
Rockbinda 12/H196





Sprayco Armaseal

Fast breaking bitumen emulsion designed to seal and protect aged asphalt and macadam surfaces

Conforms to BSEN 13808:2013

5kg Keg

25kg Keg

200kg Drum

1,000kg IBC

Bulk Tanker

Sprayco Armapatch

Heavy duty binder designed for filling minor potholes and depressions

Conforms to BSEN 13808:2013

25kg Keg

200kg Drum

Sprayco Patch Sealer

Rapid setting water based bituminous formulation designed to seal and preserve asphalt patch repairs

Conforms to BSEN 13808:2013

20kg Pail

200kg Drum

1,000kg IBC

Sprayco Patch Binder

Cationic bitumen emulsion designed to be used as the binder addition for infra red pothole repair processes


Conforms to BSEN 13808:2013

20kg Bags

25kg Kegs

200kg Drums

1,000kg IBC



www.joblingpurser.com



02. Jointing Compounds

We manufacture numerous jointing and sealing products for use on asphalt and concrete surfaces. Covering areas such as Crack Sealing, Overbanding, Expansion Joints, Bridge Joints, Cobbleseal Grouting compounds as well as materials for Edge Sealing re-instatement patches. Our bitumen based materials are complimented with a range of coloured synthetic formulations for use with coloured asphalts.

Hot Jointing Compounds

Probit J5



40/60 pen bitumen jointing compound used for horizontal and vertical asphalt joints
Conforms to BSEN 12591:2009

12.5kg Silicone Lined Cartons

25kg Metal Kegs

25kg Cardboard Cylinders

Probit J20



An N2 type, polymer modified bituminous joint sealant

Conforms to BSEN 14188-1:2004

18kg Silicone Lined Cardboard Cartons


Catch Weight Sacks

7



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196





www.joblingpurser.com



Probit J10

An A2 type, polymer modified bituminous joint filler

Catch Weight Sacks

Probit Cobbleseal


A filled bitumen compound for jointing stone setts and cobbles

Catch Weight Sacks

Probit J60

A bituminous skid resistant overband with high PSV aggregate incorporated to offer the effective skid resistance

Catch Weight Sacks



HAPAS
Proscreened 12/H195
HAPAS
Recbinda 12/H196





www.joblingpurser.com

Cold Jointing Compounds

Probit Cationic Cold Joint Paint

A cold applied joint paint available in either pouring or thickened brushing grade
Conforms to BSEN 13808:2013

- | |
|------------|
| 10kg Bag |
| 20kg Pail |
| 200kg Drum |

Probit Edge Spray

A cold applied bitumen compound for jointing asphalt and macadam edges


- | |
|---------------------|
| 500ml Trigger Spray |
| 600ml Aerosol Can |



Probit 903 Polymer Modified Cold Joint Paint

Polymer modified cold joint paint as specified in BS EN 594987 and Clause 903 of the revised MCHW specification 900 series.
Conforms to BSEN 13808:2013

- | |
|------------|
| 10kg Bag |
| 20kg Pail |
| 200kg Drum |



www.joblingpurser.com



Coloured Jointing Compounds

Probit Neutral Cold Joint Paint

A cold applied joint paint which can be easily pigmented to match any coloured asphalt

20kg Pail



Bridge Jointing Compounds

Probit Temperate Bridge Jointing Binder

A polymer modified binder for expansion joints in asphalt surfaces on concrete structures

Catch Weight Sacks

Probit Tropical Bridge Jointing Binder

An asphaltic plug joint binder designed to withstand surface temperatures which exceed 50°C


Catch Weight Sacks



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196



10



www.joblingpurser.com



03. Road Stud Adhesive

Over the last 40 years we have worked closely with the major stud producers and we are now proud to be the approved / recommended supplier of stud grouts and adhesives for most of the principle stud manufacturers. Whether you are looking to install milled or surface mounted, Jobling Purser have the complete range of suitable grouts and adhesives available.

Probit Road Stud Grouting Compound

A bitumen compound designed for use with milled road studs. Also available as a tropical formulation

Catch Weight Sacks

20kg Silicone Lined Carton with optional cross divider

Probit Polymer Modified Road Stud Adhesive

A hot applied compound for bonding reflective road studs to asphalt surfaces. Also available as a tropical formulation

Catch Weight Sacks

20kg Silicone Lined Carton with optional cross divider

Bespoke Formulations


Jobling Purser can offer customers bespoke Grout and Adhesive formulations for specific national standards and varying climatic requirements.

11



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196





www.joblingpurser.com



Coldfyx

Cold applied, two part polyurethane resin for fixing surface mounted road markers where hot melt processes are impractical

650g

1.3kg

2.6kg

Coldfyx Rapid Cure

A rapid curing version of Coldfyx which is ideal for use when rapid opening of the road is required

650g

1.3kg


2.6kg



HAPAS
Proscreed 12/H1195
HAPAS
Rocbinda 12/H1196



12



www.joblingpurser.com



04. Surface Repairs

Our surface repair products include a wide variety of cost effective processes which can form part of a reactive maintenance package aimed at repairing and preventing reoccurrence of surface failures, helping extend the overall life of asphalt surfaces.


Proscreen

Crack Repair system which combines 2 processes to give both flexibility and long term skid resistance

Part A - Catch Weight Sacks

Part B - 25kg Sacks





www.joblingpurser.com



Armaphalt

Ready mixed asphalt for small hot mixes.

Armaphalt AC 6

Armaphalt AC 10

Armaphalt AC 20

Armaphalt HRA 30/14

Armaphalt HRA 35/14



Armaphalt

What you want.

Where you want.

When you want.

Site Mixed Hot Asphalt



Armaphalt
ready mixed
asphalt for small
hot mixes.


Mixes include
6mm & 10mm D/S,
20mm D/B,
30/14 & 35/14
HRA



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196



14



www.joblingpurser.com

Probit Delayed Set Macadam



A temporary cold applied bituminous macadam surface course incorporating a 6mm aggregate. Conforms to BSEN 13108:2006

25kg Sacks

1 tonne Dumpy Bags

Bulk



Sprayco Patch Sealer



Rapid setting water based bituminous formulation designed to seal and preserve asphalt patch repairs
Conforms with BSEN 13808:2013

20kg Pail

200kg Drum

1,000kg IBC

Probit CAB

A retarded set binder designed to be used as a binder for site mixed cold asphalt

25 litre Drum

200 litre Drum

1,000 litre IBC

Sprayco CAB



A slow breaking cationic emulsion designed to be used as a binder for site mixed cold asphalt
Conforms with BSEN 13808:2013

25kg Kegs

200kg Drum

1,000kg IBC

Sprayco Patch Binder



Cationic bitumen emulsion designed to be used as the binder addition for infra red pothole repair processes
Conforms with BSEN 13808:2013

20kg Bags

25kg Kegs

200kg Drums

1,000kg IBC

15



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196





05. Surface Treatments

Jobling Purser have a selection of decorative surfacing materials which can be applied onto asphalt, macadam and concrete surfaces to add colourful patterns and delineation to any area. In particular, Rocbinda™ has been saving lives for over 20 years. As a BBA Type 1 approved High Friction Surfacing material since 1999, Rocbinda™ has gained an excellent reputation as a long lasting, durable surfacing system whether it is used in Anti Skid schemes or with less abrasive aggregates in decorative situations.

High Friction Surfacing

Rocbinda

Cold applied, two part polyurethane resin with BBA Type 1 certification. Pigmented resins are also available

DIY Pack which includes aggregate

2kg Pack

8kg Pack


16kg Pack



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196



16



www.joblingpurser.com

Rocbinda Catalyst

Can be added to Rocbinda to reduce the cure times in cooler conditions and thereby significantly increasing productivity

5 x 100ml Dispensers

High Friction Surfacing Aggregate

A wide range of natural and pigmented High Friction Surfacing aggregates

25kg Bag

Dumpy Bags

Visit www.rocbinda.com for more information



17



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196





Decorative Surfacing

Rocbinda

Cold applied, two part polyurethane resin with BBA
Type 1 certification. Pigmented resins are also
available

DIY Pack which includes aggregate

2kg Pack

8kg Pack

16kg Pack

Rocbinda Catalyst

Can be added to Rocbinda to reduce the cure
times in cooler conditions and thereby significantly
increasing productivity

5 x 100ml Dispensers

Rocbinda Tree Pit Resin System

Two part polyurethane resin to be used with
minimum 6mm graded aggregates to create porous
tree pit void filling bound surfacing

2kg Pack

8kg Pack




Decorative Surfacing Aggregate

A wide range of natural and pigmented
Decorative Surfacing aggregates

25kg Bags

Dumpy Bags

Visit www.rocbinda.com for more information



www.joblingpurser.com

Microcolour Readymix

A pre-mixed coloured slurry seal available in various bright colours for asphalt and concrete surfaces

20kg Pail

Microcolour Revive

Fast breaking pigmentable emulsion which can be used to colour asphalt, macadam and concrete surfaces or to re-colour existing surfaces

25kg Keg

200kg Drum



Quicksetts™ are an attractive modern day solution to granite setts but can be installed without the need for excavation using our specially formulated Quicksett™ Bedding & Jointing Compound. Quicksetts™ can be applied directly onto asphalt or concrete surfaces and opened to traffic in a matter of hours.




Visit www.quicksetts.com for more information

19



HAPAS
Proscreed 12/H195
HAPAS
Rebinda 12/H196





www.joblingpurser.com



Quicksett
Rumble
Strip
Packs




Quicksett
Speed
Table
Packs

Quicksett
Edging
Packs



Quicksetts
for
Lane
Delineation

Quicksetts
for
Water
Channels



Quicksetts
for
Bespoke
Uses



HAPAS
Proscreened 12/H1195
HAPAS
Recbinda 12/H1196



20



www.joblingpurser.com

Sprayco Armaseal

Fast breaking bitumen emulsion designed to seal and protect aged asphalt and macadam surfaces

Conforms with BSEN 13808:2013

5kg Keg
25kg Keg
200kg Drum
1,000kg IBC
Bulk Tanker



Probit Coldpave

Pre-mixed bitumen based slurry seal available in black, terracotta red and green for sealing asphalt or concrete surfaces. Available in Standard and Heavy Duty grades

25kg Bag
25kg Bag in Bucket





06. Coated Stone

Exciting times at Jobling Purser as the autumn of 2016 will herald the opening of our second state of the art Asphalt plant in Carlisle. Both plants, Newcastle upon Tyne and Carlisle, offer a wide range of asphalt, macadam's and coated chippings including our popular pigmented products and SMA. We can cater for any volume requirements and pride ourselves on the plant's versatility and speed. To accommodate busy schedules, the asphalt plant is open for business 7 days a week with night time opening hours also available subject to prior agreement.

Hot Rolled Asphalts

Conforms with BSEN 13108-4:2006

Base Course

Conforms with BSEN 13108-1:2006

Bitumen Macadams

Conforms with BSEN 13108-1:2006


Standard Bituminous Based Asphalts

Conforms with BSEN 13108:2006

Synthetic Bituminous Based Coloured

Thin Surface Course

Conforms with BSEN 13108-5:2006



www.joblingpurser.com

Deliveries

Collections



Probit Delayed Set Macadam



A temporary cold applied bituminous macadam surface course incorporating a 6mm aggregate.

Conforms with BSEN 13108:2006

25kg Sacks

1 tonne Dumpy Bags

Bulk

Aggregate Factoring

A range of processed and non processed aggregates and minerals available

PreCoated Chippings



Black and Red chippings in 20mm nominal size
Conforms with BSEN 13108-4:2006

25kg Bags

Bulk


Contact us with your requirements
0191 273 0991

23



HAPAS
Proscreeed 12/H/195
HAPAS
Rocbinda 12/H/196






www.joblingpurser.com




Jobling Purser Asphalt Plant Locations



Jobling Purser Asphalt Plant
William Armstrong Drive
off Scotswood Road
Newcastle upon Tyne
NE15 6BZ

Tel: 0191 273 0991



Brand New Plant Opening Autumn 2016


Jobling Purser Asphalt Plant
Hespin Wood Landfill Site
Rockcliffe
Carlisle
CA6 4BJ



HAPAS
Proscreed 12/H195
HAPAS
Rockbinda 12/H196



24



www.joblingpurser.com



07. Protective Coatings

Using our extensive knowledge of bitumen formulation and wax technology, we have developed a wide range of specialist Protective Coatings which are used in numerous industry sectors including a variety of automotive underbody coatings to solutions for painting and protecting steel work.

Probit PB340 Black Bitumen Paint

Black bitumen paint for painting steelwork, tanks, sheds etc

Probit PB574 Black Bitumen Paint

A high build black bitumen paint for painting steelwork, tanks, sheds etc

2.5 litre Tin
5 litre Tin
25 litre Keg
200 litre Drum
1,000 litre IBC

2.5 litre Tin
5 litre Tin
25 litre Keg
200 litre Drum
1,000 litre IBC


Jobling Purser also offer the facility to manufacture Protective Coatings to customers own specifications to either intermediary stage or full product

25



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196





ES7115

A homogeneous solution of bitumen in hydrocarbon solvents, for use as a quick drying coating or primer

200 litre Drum

1,000 litre IBC

Probit Proprietary Bitumen Paints

Homogeneous solutions of bitumen in solvent made to your formulation. Paints are resistant to dilute acids and alkalines. Used on structural steel work, casting tanks, pipelines, bridges, sheds and all factory maintenance

1 litre Tin

2.5 litre Tin

5 litre Tin

200 litre Drum

1,000 litre IBC

Bulk Tanker

Probit Bitumen Flooding Compound

A polymer modified bitumen compound which protects against corrosion and can also be used as a bonding agent

25 litre Open Top Pail

200 litre Open Top Drum

Bulk (supplied as a hot liquid)

PB922-H

A homogeneous solution of bitumen in hydrocarbon solvents, for use as a protective coating to structural steelwork, casting tanks, pipelines, bridges and other general maintenance

5 litre Tin

200 litre Drum

1,000 litre IBC

Bulk Tanker




Sprayco Elasticcoat

A cationic latex bitumen emulsion formulated for use as a waterproof coating to a wide variety of construction materials
Conforms to BSEN 13808:2013

25kg Kegs

200kg Drums

1,000kg IBC



www.joblingpurser.com

Sprayco Dipping Emulsion



A bitumen designed for the coating of freshly formed castings to prevent rusting during storage and transportation

Conforms to BSEN 13808:2013

25kg Keg

200kg Drum

Sprayco Diluting Solution

Specifically designed for use with our Sprayco Dipping Emulsion to regulate the solids content within the Sprayco Dipping Emulsion

1,000kg IBC



Probit TP900

A corrosion preventative compound for interiors of hollow sections, machinery, machine parts, dies and tubing

200 litre Drum

Probit UB-664

A black thixotropic, filled bitumen solution designed for vehicle underbodies

1 litre Tin

5 litre Tin

25 litre Keg

200 litre Drum




27



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196





www.joblingpurser.com



Probit CS-544

An amber/brown wax based sealant designed for vehicle box sections and engine compartments

1 litre Tin

200 litre Drum

Probit C

An amber/brown wax based sealant for vehicle box sections and engine compartments

200 litre Drum

Jobling Purser also offer the facility to manufacture Sealant products to customers own specifications to either intermediary stage or full product

Probit T

A black thixotropic, bitumen containing sealant for vehicle underbodies


200 litre Drum



HAPAS
Proscreeed 12/H195
HAPAS
Rebinda 12/H196



28



www.joblingpurser.com



08. Industrial and Packed Bitumen

An extensive range of types and grades of bitumen are available from Jobling Purser in a variety of packaging options to suit individual customer requirements.

PEN Bitumen

Conforms to BSEN 12591:2009



Oxidised Bitumen

Polymer Modified Bitumen

Fuel Resistant Bitumen

Clear / Synthetic Binder

12.5kg Boxes

25kg Cardboard or Metal Kegs

Catch Weight Sacks

200kg Open Top Drum

*Packaging type will be dependant upon the physical properties of the material required



09. Primers

Probit Road Stud and Thermoplastic Primer

For installation of Cats Eyes and thermoplastic road marking materials on substrates such as concrete

500ml Trigger Spray

5 litre Cans

25 litre Drums

Probit Mex Prime

A quick drying primer tack coat for thermoplastic marking materials on substrates such as concrete or where a black primer is undesirable

500ml Trigger Spray

5 litre Cans

25 litre Drums

Rocbinda Primer

Required prior to Rocbinda installations on concrete, steel and timber substrates


1 litre Tin

5 litre Tin

Coldfyx Primer

Required prior to Coldfyx installations on concrete substrates

1 litre Tin



www.joblingpurser.com



10. Miscellaneous

Proclean

A citrus based solvent cleaner for the removal of bitumen/asphalt

500ml Trigger Spray

5 litre Keg

25 litre Keg

200 litre Drum

1,000 litre IBC

Luciol

Closely spaced diamond grade reflectors in a UPVC housing. Designed to be used in conjunction with fixing brackets for any safety barrier

2m Lengths

4m Lengths

Armatex

Latex addition for cationic bitumen emulsions. Ideal for Microsurfacing, Chip Seal, Tack Coat and Crack Filling emulsions.

25 litre Keg





11. Consumables

Rocbinda Consumables

4" Diameter Helical Paint Paddle

100mm x 50m Duct Tape

24" Rubber Edged Squeegee with Handle

22" Pre Notched Squeegee with Handle

Replacement Sleeves for Roller Assembly

15" Roller Head Assembly and sleeve

79" Handle for Industrial Roller Head Assembly

Quicksetts Consumables

3" Diameter Helical Paint Paddle

4" Diameter Helical Paint Paddle

100mm x 50m Duct Tape

Quicksett Bedding & Jointing Compound Unit Scraper

Quicksett Bedding & Jointing Compound notched applicator for standard setts

Quicksett Bedding & Jointing Compound notched applicator for thin setts



www.joblingpurser.com

General Consumables

Proclean Bitumen Cleaner

Road Marking Aerosol Paint

Preformed Thermoplastic White Lines

Preformed Thermoplastic Yellow Lines

Wheelbarrow Pneumatic Tyre, 3cu.ft

Asphalt Rake Flat Teeth Wood Shaft

Brush 13" Bass Budget

54" x 1 1/8" Handle

Shovel S/S Square Mouth

Shovel No.2 O.S Pyd Handle


V Lip Tar Bucket

Gloves - Canadian Rigger





www.joblingpurser.com



12. Other Services

Secondary Toll Manufacture


Manufacturing and packaging products on behalf of clients to their formulae or specification

Own labelling

We are able to offer some of our proprietary products packaged and branded with your own labels

Product Development

We are pleased to work in conjunction with our customers to develop products to your own specification to either intermediary stage or full product



www.joblingpurser.com

Leading the Way




HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196



34



Leading the Way



Issue 4



HAPAS
Proscreed 12/H195
HAPAS
Rocbinda 12/H196



www.joblingpurser.com

www.rocbinda.com | www.quicksetts.com

Paradise Works, Scotswood Road, Newcastle upon Tyne. NE15 6BZ. UK
E. info@joblingpurser.com T. +44 (0) 191 273 2331 F. +44 (0) 191 226 0129