

QUICKSETTS[™] SPECIFICATION

Leading the Way



















Issue 5











Quicksetts[™] (patented) Specifications

Cor	Page	
1.	What are Quicksetts™?	2
2.	Quicksetts [™] Representation	
	Speed Bumps	3
	Speed Tables	6
	Lane Delineation	8
	Decorative Edging	9
	Traffic Islands	11
	Resin Bound Edging	13
	Water Channels	14
	Letters and Numbers	15
	Roundabouts	17
3.	Quicksetts [™] Placement Plans	
	3.5m Speed Bump	18
	7.0m Speed Bump	19
	3.5m Low Profile Rumble Strip	20
	7.0m Low Profile Rumble Strip	21
	Square Speed Table	22
	Narrow Speed Table	23
	Wide Speed Table	24
	Edging Setts	25
	Edging Setts for Bound Surfacir	ng 26
	Circle Centre	27
	Roundabout	28
	Letters and Numbers	29
4.	Quicksetts [™] Boxes	30

Specifying Quicksetts™

Quicksetts™ are manufactured by Jobling Purser tel: +44 (0)191 273 2331 to be applied and laid all in accordance with the manufacturer's written instructions. www.quicksetts.com














What are Quicksetts™?



Designed to accurately replicate the appearance of traditional granite setts, Quicksetts[™] are the modern solution which can be installed and opened to traffic in a matter of hours. Consisting of hard wearing granite particles and specially selected bauxite aggregate bound together with a synthetic resin, Quicksetts[™] are available in a range of designs for a variety of situations.



Installed directly onto asphalt/macadam or concrete surfaces, our specially formulated, cold applied, Quicksett[™] Bedding and Jointing Compound compliments the setts giving the look of a traditional bituminous jointing media.

Quicksetts[™] Patented













Quicksetts[™] Speed Bumps



Capable of withstanding the rigours of bustling towns and city centres, Quicksetts[™] are the ideal solution for planners wishing to provide an attractive decorative speed bump with the enhanced benefit of tactile vibration.















www.joblingpurser.com







Quicksetts[™] Patented















Minimizing the disruption to all stakeholders is critical. Quicksetts[™] can be installed without the need to excavate and with its advanced resin based Bedding and Jointing Compound can be opened to traffic in a matter of hours.
















Quicksetts[™] Speed Tables

Effective, proven design to slow vehicle speeds in high density pedestrian areas, offering a visual and discernible deterrent to excessive speed.



Comprehensive range of chamfered edged Quicksetts™ allows smooth passage both onto and off the speed table whilst also eliminating the risk of pedestrian trip hazards.



Quicksetts[™] Patented















www.joblingpurser.com

















Quicksetts[™] Lane Delineation



Dedicated and clearly defined lane demarcation created with Quicksetts[™] which gives a sensory and audible warning should deviation from the lane occur.



Quicksetts[™] Patented














Quicksetts[™] Decorative Edging



Ideal for use as a decorative edging, demarcation or to delineate car park bays, Quicksetts[™] offer attractive definition which is quick and easily applied but adds a timeless appeal to any hard landscaping project.















www.joblingpurser.com











Quicksetts[™] Patented













Quicksetts[™] Traffic Islands





















Befitting for areas steeped in history and natural beauty, Quicksetts[™] islands blend in with these picturesque areas whilst offering a practical role separating vehicles in a visually appealing way.



Quicksetts[™] Patented













Quicksetts[™] Resin Bound Edging

Complimenting other forms of paving, Quicksetts[™] are the perfect way to frame your resin bound surfacing.

Our chamfered edged Quicksetts[™] having a leading edge of approximately 5mm going up to 18mm, allows an effective retro fit solution onto asphalt or concrete. For new schemes our edging setts with an overall thickness of just 5mm creates the perfect leading edge encasing the decorative surface.


















Quicksetts[™] Water Channels



Conduit for rain water, Quicksetts[™] can be placed strategically to divert the flow away from low lying paved areas and towards the existing surface drainage.



Quicksetts[™] Patented













Quicksetts[™] Letters & Numbers



Imagination is the only limitation. Quicksetts[™] can also be used to make shapes, letters and numbers. Where traditional white lining would not be in keeping with the local surroundings, Quicksetts[™] can be used to create a non intrusive, stylish yet individual finish to your project. Using our low profile edging setts with just a 5mm up stand enables use in a variety of situations.















www.joblingpurser.com









Quicksetts[™] Patented














Quicksetts[™] Roundabouts

Roundabouts installed using Quicksetts[™] have an ageless visual appeal and with rapid installation times Quicksetts[™] are the ideal choice to reduce traffic delays in sensitive multi-junction locations.



Preformed Quicksetts™ shapes ensures the perfect circle centres. Beginning with an octagon as the centre stone, followed by rings of inner and outer dovetails, the diameter can be further extended with the square Quicksetts.™ The final outer ring is completed using chamfered squares reducing the potential risk to pedestrians of a trip hazard.















Quicksetts™ 3.5m Speed Bump Pack

3.5m Speed Bump - Approximately 3.5m long x 0.47m deep


20mm maximum profile depth with chamfered edges.

Pack comprises all materials for 4 rows.

Corners square and rectangular.

Packs available in either Rough or Smooth finish.

- 1 x Quicksetts[™] unit scraper
- 1 x 50m x 100mm roll of duct tape
- 2 x Quicksetts™ Bedding & Jointing Compound Standard Notched Applicator
- 2 x 10.4kg Quicksetts™ Bedding & Jointing Compound
- 2 x Box A Quicksetts™
- 2 x Box B Quicksetts™
- 1 x Box I Quicksetts™







Quicksetts™ 7.0m Speed Bump Pack

7.0m Speed Bump - Approximately 7.0m long x 0.47m deep


20mm maximum profile depth with chamfered edges.

Pack comprises all materials for 4 rows.

Corners square and rectangular.

Packs available in either Rough or Smooth finish.

- 2 x Quicksetts[™] unit scraper
- 1 x 50m x 100mm roll of duct tape
- 3 x Quicksetts™ Bedding & Jointing Compound Standard Notched Applicator
- 4 x 10.4kg Quicksetts™ Bedding & Jointing Compound
- 4 x Box A Quicksetts™
- 4 x Box B Quicksetts™
- 1 x Box I Quicksetts™


















Quicksetts[™] 3.5m Low Profile Square Rumble Strip

3.5m Square Low Profile Rumble Strip

Approximately 3.5m long x 0.47m deep Low profile depth approximate 100mm x 100mm squares Pack comprises all materials for 4 rows. Packs available only in Smooth finish.

Kit Contains:

- 1 x Quicksett™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 2 x Quicksett™ Bedding & Jointing Notched Applicator for Thin Quicksetts™
- 2 x 10.4kg Quicksett™ Bedding & Jointing Compound
- 3 x Box H Quicksetts™





Quicksetts[™] Patented
















Quicksetts™ 7.0m Low Profile Square Rumble Strip

7.0m Square Low Profile Rumble Strip

Approximately 7.0m long x 0.47m deep Low profile depth approximate 100mm x 100mm squares Pack comprises all materials for 4 rows. Packs available only in Smooth finish.

- 2 x Quicksett™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 3 x Quicksett™ Bedding & Jointing Notched Applicator for Thin Quicksetts™
- 4 x 10.4kg Quicksett™ Bedding & Jointing Compound
- 6 x Box H Quicksetts™















Quicksetts[™] Square Speed Table Pack

Square Speed Table - Approximately 1.6m wide x 1.6m long 20mm maximum profile depth with chamfered edges.


Pack comprises all materials for 14 rows.

Corners square and rectangular.

Packs available in either Rough or Smooth finish.

Kit Contains:

- 1 x Quicksetts™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 2 x Quicksetts™ Bedding & Jointing Compound Standard Notched Applicator
- 3 x 10.4kg Quicksetts™ Bedding & Jointing Compound
- 4 x Box A Quicksetts™
- 2 x Box F Quicksetts™
- 1 x Box I Quicksetts™
- 1 x Box C Quicksetts™
- 1 x Box D Quicksetts™





Quicksetts[™] Patented









22





Quicksetts[™] Narrow Speed Table Pack

Narrow Speed Table - Approximately 1.35m wide x 2.10m long


20mm maximum profile depth with chamfered edges.

Pack comprises all materials for 19 rows.

Corners square and rectangular.

Packs available in either Rough or Smooth finish.

- 1 x Quicksetts[™] unit scraper
- 1 x 50m x 100mm roll of duct tape
- 2 x Quicksetts™ Bedding & Jointing Compound Standard Notched Applicator
- 3 x 10.4kg Quicksetts™ Bedding & Jointing Compound
- 5 x Box A Quicksetts™
- 2 x Box C Quicksetts™
- 1 x Box D Quicksetts™
- 1 x Box E Quicksetts™
- 1 x Box F Quicksetts™

















Quicksetts[™] Wide Speed Table Pack


Wide Speed Table - Approximately 1.90m wide x 3.10m long 20mm maximum profile depth with chamfered edges.

Pack comprises all materials for 28 rows.

Corners square and rectangular.

Packs available in either Rough or Smooth finish.

- 2 x Quicksetts™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 4 x Quicksetts™ Bedding & Jointing Compound Notched Standard Applicator
- 6 x 10.4kg Quicksetts™ Bedding & Jointing Compound
- 12 x Box A Quicksetts™
- 1 x Box B Quicksetts™
- 3 x Box C Quicksetts™
- 1 x Box E Quicksetts™















Quicksetts[™] Edging Setts

Rectangle Low Profile Edging - Approximately 5 linear meters


Low profile depth approximate 200 x 100mm rectangles.

Pack comprises all materials for approximately 5 linear meters.

Packs available only in Smooth finish.

Kit Contains:

- 1 x Quicksetts[™] unit scraper
- 1 x 50m x 100mm roll of duct tape
- 1 x Quicksetts™ Bedding & Jointing Compound Narrow Notched Applicator
- 2 x 2.6kg Quicksetts™ Bedding & Jointing Compound
- 1 x Box G Quicksetts™




Square Low Profile Edging - Approximately 4.6 linear meters

Low profile depth approximate 100 x 100mm squares.

Pack comprises all materials for approximately 4.6 linear meters.

Packs available only in Smooth finish.

- 1 x Quicksetts™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 1 x Quicksetts™ Bedding & Jointing Compound Narrow Notched Applicator
- 2 x 2.6kg Quicksetts™ Bedding & Jointing Compound
- 1 x Box H Quicksetts™

















Quicksetts[™] Edging for Bound Surfacing

Bound Surfacing Edging - Approximately 3.4 linear meters 20mm maximum profile depth with chamfered long edge chamfer edges. Pack comprises all materials for approximately 3.4 linear meters. Packs available in Rough or Smooth finish.

Kit Contains:

- 1 x Quicksetts™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 1 x Quicksetts™ Bedding & Jointing Compound Standard Notched Applicator
- 2 x 2.6kg Quicksetts™ Bedding & Jointing Compound
- 1 x Box N Quicksetts™





Rectangle Long Edge Chamfer



Quicksetts[™] Patented















Quicksetts[™] Circle Centre


Circle Centre - Quicksetts™ Circle Centre and first two outer rows 20mm maximum profile depth

Pack only includes the Quicksetts[™] required for the centre and first two rings. Quicksetts[™] consumables and Quicksetts[™] Bedding and Jointing Compound are not included.

Packs available only in Rough finish.

Kit Contains:

1 x Box M Quicksetts[™]
















Quicksetts™ Roundabout

Roundabout - Quicksetts[™] 1.25m Diameter Roundabout 20mm maximum profile depth with chamfered outside edges. Pack comprises all materials for 5 rings around octagon centre Packs available in Rough finish only

Kit Contains:

- 1 x Quicksetts™ unit scraper
- 1 x 50m x 100mm roll of duct tape
- 2 x Quicksetts™ Bedding & Jointing Compound Standard Notched Applicator
- 1 x Box M Quicksetts™
- 1 x Box K Quicksetts™
- 2 x Box L Quicksetts™
- 1 x Box J Quicksetts™



Quicksetts[™] Patented













Quicksetts™ Letters & Numbers

Letters & Numbers - Low profile depth.

Packs containing Quicksetts[™] squares, inner or outer dovetail setts. Quicksetts™ consumables and Quicksetts™ Bedding and Jointing Compound

are not included.

Packs available only in Smooth finish.

Boxes for Lettering and Numbers:

Box O 16no. Low Profile Square Setts

Box P 16no. Low Profile Outer Dovetail Setts Box R 16no. Low Profile inner Dovetail Setts



A guide for forming all letters and numbers is available from Jobling Purser. We would advise when ordering materials for lettering or numbers to allow 1 x 2.6kg Quicksetts™Bedding & Jointing Compound to 15no. Low Profile Quicksetts[™] (Squares or Dovetails).

One additional 2.6kg Quicksetts™Bedding & Jointing Compound unit for each letter /number should be purchased to ensure sufficient material.















Quicksetts[™] Boxes

Вох	No. Of Setts	Contents
Α	16	Rectangle Setts
В	16	Rectangle Long Edge Chamfer Setts
С	10 10	Rectangle Short Edge Chamfer Setts Square Chamfer Setts
D	12	Rectangle Long Edge Chamfer Setts
Е	3 3	Rectangle Corner Chamfer High Top Right Setts Square Corner Chamfer
F	4	Rectangle Setts
G	24	Low Profile Rectangle Setts
Н	43	Low Profile Square Setts
I	1 1 3 3 3 3	Rectangle Sett Rectangle Long Edge Chamfer Sett Square Chamfer Setts Rectangle Short Edge Chamfer Setts Rectangle Corner Chamfer High Top Right Setts Square Corner Chamfer Setts
J	36	Square Chamfer Setts
K	32	Square Setts
L	10	Square Setts
М	1 9 14	Octogan Sett Inner Dovetail Setts Outer Dovetail Setts
N	20	Rectangle Long Edge Chamfer Setts
0	16	Low Profile Square Setts (Letters)
Р	16	Low Profile Outer Dovetail Setts (Letters)
Q	32	Inner Dovetail Setts
R	16	Low Profile Inner Dovetail Setts (Letters)












Leading the Way











www.joblingpurser.com